



## IGLAND 65H

Powerful one-drum forest winch for those in need of a powerful and reliable winch. This is a "heavy-duty" winch intended for large tasks, and this winch provides good working conditions. IGLAND 65H has an unusually large drum capacity, providing room for a wide range of wire ropes with sufficient lengths. Rugged and simple design with large butt-plate provides excellent ground support. IGLAND 65H can be fitted with hydraulically adjustable pull-in point if desired. This winch has electrohydraulic high pressure operation with self-contained hydraulics.

- Pulling capacity 65 kN (6,5 tons)
- Ideal for tractors from 45 to 90 kW (60 - 120 hp)
- 3-point hitch as standard
- Weight 615 kg
- Logging plate width 1,95 meters
- Cableguard prevents derailment
- Radio control is optional
- Adjustable height of pulling point
- Electrohydraulic high pressure operation with self-contained hydraulics is standard
- Maintains high pressure during winching
- High-capacity drum
- Good spooling characteristics
- Close to tractor permits heavier loads
- High line pull throughout haul

### Technical data

Max pulling capacity / empty drum:	65 kN (6,5 tons)
Max pulling capacity / full drum:	35,6 kN (3,6 tons)
Number of drums:	1
Wire rope, theoretical capacity:	97 m, 12 mm / 80 m, 13 mm (ISO 6687)
Recommended wire rope length:	50 m, 12 mm
Pulling speed at 540 rpm:	0,64 – 1,2 m/s
Ratio:	1:9
Necessary power input:	46,2 kW (ISO 6687)
Braking power:	Min 81 kN (8,1 tons)
Controls:	Electrohydraulic high pressure operation with self-contained hydraulics is standard
Clutch:	Single friction plate
Brake:	Automatic safety brake
Mounting:	3-point hitch
PTO input, distance from ground:	57 cm
Height/ Width/ Depth:	230 / 195 / 82 cm
Weight (without wire rope):	615 kg

